

Biaxial Geogrids

Technical Datasheet

Lotrak[®] biaxial geogrids provide excellent ground stabilisation and reinforcement for a wide variety of civil engineering and construction projects. Through the interlock mechanism, Lotrak[®] geogrids are specifically designed to control the movement of aggregate materials.

Using a geogrid as part of a civil engineering or construction project results in a significant reduction to the quantity of required fill material, as Lotrak[®] geogrids can increase the bearing capacity of the underlying ground offering enhanced performance and cost benefits to the overall project.

Product Features

- ▶ The high strength and with low elongation of Lotrak[®] provides effective ground reinforcement
- ▶ The aperture design of Lotrak[®] geogrids enables aggregate materials to interlock and encourages load dispersal
- ▶ Lotrak[®] geogrids are manufactured under ISO Quality Management and the Construction Products Regulation

Benefits

- ▶ Excellent Soil & Aggregate Confinement
- ▶ High Tensile Strength
- ▶ High-performance Reinforcement
- ▶ Cost Effective Design Component



TEST	STANDARD	LOTRAK®				
		20/20S	30/30S	40/40S	30/30L	
Product						
Tensile Strength (kN/m)	EN 10319	MD	20	30	40	30
		CD	20	30	40	30
Tensile Strength at 2% strain (%)	EN 10319	MD	7	10	14	10
		CD	8	10	14	9
Tensile Strength at 5% strain (%)	EN 10319	MD	15	21	25	21
		CD	17	23	29	20
Elongation at max. load (%)	EN 10319	MD	12	12	10	10
		CD	9	9	9	9
Grid Opening Size (mm)		40x40	40x40	40x40	60x60	
Effect of UV Light		The polypropylene (PP) used contains a UV inhibitor				
Roll Size (m)		Width	3.95	3.95	3.95	3.95
		Length	50	50	50	50



All products are manufactured under BS EN ISO 9001.

Don & Low reserves the right to change specifications or other product information. Don & Low accepts no responsibility or liability for information provided by third parties. No warranties, express or implied, are offered regarding the suitability of any product for your use, as site conditions and customer requirements vary. Should you require further information, please contact us. Products are sold subject to the seller's terms and conditions of sale. No warranty or immunity is offered against infringement of patents or other intellectual property rights.

©Don & Low Limited, 2020. The intellectual property in the products is owned and protected by Don & Low or its licensors.